



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



Складова база „Онĝл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA,PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)



































CUEBU 15-700/...	MRU11/...	1:1 compatible, improved features
------------------	-----------	-----------------------------------

## Installation devices / Contactors

**Bold** = preferred type for substitution.

Type	Replacement	Notice
<b>B103/AC110-127V</b>	-	No replacement type available
<b>C2274</b>	-	No replacement type available
<b>C103.01/AC220-240V</b>	<b>C133.01/AC220-240V</b>	Adapt wiring
<b>C103.01/DC12V</b>	<b>C133.01/DC12V</b>	Adapt wiring
<b>C103.01/UC48V</b>	<b>C133.01/UC48V</b>	Adapt wiring
<b>C103.06/AC110-127V</b>	-	No replacement type available
<b>C103.06/AC220-240V</b>	<b>C203.06/AC220-240V</b>	Adapt wiring
<b>C103.06/DC12V</b>	<b>C203.06/DC12V</b>	Adapt wiring
<b>C103.06/UC24V</b>	<b>C203.06/UC24V</b>	Adapt wiring
<b>C103.06/UC48V</b>	-	No replacement type available
<b>C203.01/AC110-127V</b>	-	No replacement type available
<b>C203.01/DC12V</b>	-	No replacement type available
<b>C203.01/UC48V</b>	-	No replacement type available
<b>C203.04/DC12-15V</b>	-	No replacement type available
<b>C203.04/DC48V</b>	-	No replacement type available
<b>C203.06/AC110-127V</b>	-	No replacement type available
<b>C301..../DC...V</b>	-	No replacement type available
<b>C311.08/DC24V</b>	-	No replacement type available
<b>CR16AX/AC230V</b>	<b>CR16CX/AC230V</b>	Adapt wiring
<b>CR16AX/DC24V</b>	<b>CR16CX/DC24V</b>	Adapt wiring
<b>CR16C/DC24V</b>	<b>CR16CX/DC24V</b>	Adapt wiring
<b>CR23A/DC24V</b>	-	No replacement type available
<b>CR33A/DC24V</b>	-	No replacement type available
<b>CRS1C/AC115V</b>	-	No replacement type available
<b>SOC-2</b>	<b>SOC-6 RIC</b>	Different type of construction
<b>SOC-6-1A/AC230V/50/60HZ</b>	<b>RMC08-310/AC230V</b>	1:1 compatible, enhanced performance
<b>SOC-6-1A/AC24V/50/60HZ</b>	<b>RMC08-310/AC24V</b>	1:1 compatible, enhanced performance
<b>SOC-6-1A/DC24V</b>	<b>RMC11-310/DC24V</b>	1:1 compatible, enhanced performance
<b>SOC-6-1B/AC230V/50/60HZ</b>	<b>RMC08-301/AC230V</b>	1:1 compatible, enhanced performance
<b>SQD-1</b>	<b>QSU35U/AC230V</b>	Adapt wiring

## SMS Relay

**Bold** = preferred type for substitution.

Type	Replacement	Notice
<b>CMS-10/AC110-240V</b>	<b>CMS-10F/AC110-240V</b>	1:1 compatible; with Remote-Access
<b>CMS-10/DC12-48V</b>	<b>CMS-10F/DC12-48V</b>	1:1 compatible; with Remote-Access
<b>CMS-10AD/DC12-48V</b>	<b>CMS-10ADF/DC12-48V</b>	1:1 compatible; with Remote-Access
<b>CMS-10KIT/ AC110-240V</b>	<b>CMS-10FKIT/ AC110-240V</b>	1:1 compatible; with Remote-Access
<b>CMS-10KIT/ DC12-48V</b>	<b>CMS-10FKIT/ DC12-48V</b>	1:1 compatible; with Remote-Access
<b>CMS-10ADKIT/ DC12-48V</b>	<b>CMS-10ADFKIT/ DC12-48V</b>	1:1 compatible; with Remote-Access
<b>CMS-GSM-MOD</b>	-	Remote access can be established via web-portal on

		<a href="http://www.sms-relay.com">www.sms-relay.com</a> with devices from firmware version 7.1.2. (production date from 1.6.2015) Older "F" devices can be retrofitted on request.
--	--	--

## Unitronics PLC

**Bold** = preferred type for substitution.

Type	Replacement	Notice				
<b>EX-A1</b>	<b>EX-A2X</b>	Cables not compatible, new EXL-CAB...				
<b>V130-33-R2</b>	<b>V130-33-TR20</b>	New with 2 additional Transistor-Outputs				
<b>V130-33-R6</b>	<b>V130-33-TR6</b>	New with 2 additional Transistor-Outputs				
<b>V350-35-R2</b>	<b>V350-35-TR20</b>	New with 2 additional Transistor-Outputs				
<b>V350-35-R6</b>	<b>V350-35-TR6</b>	New with 2 additional Transistor-Outputs				
<b>V200-19-ET1</b>	<b>V200-19-ET2</b>	Compatibility	Hardware	OS (since version)	Boot (since version)	VisiLogic (since version)
		V230 / V260 / V280 / V290	1:1	5.4.55 (01/2015)	-	9.7.41
		V530 / V560 / V570	1:1	3.3.0 (11/2010)	2.2.04	9.0.0
		V1040 / V1210	1:1	3.3.0 (11/2010)	2.2.04	9.0.0

## Miniature controller / BoxX

**Bold** = preferred type for substitution.

Type	Replacement	Notice
<b>AF-MUL/...</b>	-	No replacement available
<b>AF-DUSB</b>	-	No replacement available, use AF-D232 with CMS-USB

## Sockets

**Bold** = preferred type for substitution.

Type	Replacement	Notice
<b>CS-108</b>	<b>CS-118</b>	1:1 compatible
<b>CS-116</b>	<b>CS-106</b>	Application compatible, not wiring compatible; only one terminal for A2 Adapt wiring; optional with neutral conductor bridge I <sub>Nom</sub> 10A
<b>CS-18</b>	<b>CS-118</b>	1:1 compatible, optional with neutral conductor bridge
<b>CS-14</b>	<b>CS-144</b>	1:1 compatible
<b>CS-15</b>	<b>CS-155</b>	Application compatible, not wiring compatible; Adapt wiring; Retaining spring HF-32 no more included
<b>11 PGF</b>	<b>11 PGL</b>	No compatible replacement available
<b>11 PGH</b>	<b>CS-11</b> EC-11 C11A	On sockets EC-11 and C11A, the terminal number 6 is now below
<b>11 PGW</b>	<b>11 PGL</b>	No compatible replacement available
<b>EC-8</b>	<b>CS-8</b>	1:1 compatible

## Accessories

**Bold** = preferred type for substitution.

Type	Replacement	Notice
FZ-50F	<b>FZ-50L</b>	Different connecting technique
CINT-BR20	<b>CRINT-BR20-BK /5</b>	Bag 5 pcs
CINT-BEZ/64	<b>CRINT-LAB/64</b>	Bag 4x16 pcs
CA-11/5	<b>S3-BC (5 PCS) R</b>	Bag 5 pcs
S4-R	<b>S5-R</b>	No 1:1 replacement

## Notes

## Notes